

42210 Car

Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Package Contents:


- 12 seats x 1
- Cob light strip with ice blue x 3
- Lamp grain Blue light 30CM x 1
- Lamp grain Red light 30CM (with building blocks) x 4
- 30cm cable x 2
- 15cm cable x 2
- Led Blue soft light strip x 1
- Led Warm white light strip x 3
- Lamp group A x 1
- USB Touch switch x 1
- Battery box AA(USB port) x 1
- Some building blocks

Notes (the pictures in this paragraph are for demonstration purposes only and are not the parts of this set) :

Wiring above and below the board

Wires can be run between boards or underneath boards , but they must be placed correctly between the studs.






Connect the electrical outlet to the socket


Be extremely careful when inserting the wire plug into the outlet. The plug only goes in one way. With the plug facing up, look for the soldered "=" symbol on the left side of the port. The side of the plug with the exposed wire should be facing the soldered "=" symbol as you insert it into the port. If the plug does not fit easily into the port, do not force it.


Inserting the socket incorrectly may cause the pins inside the port to bend or may cause the socket to overheat when connected.






When installing the light pellets on the building blocks, make sure they are properly positioned (with the yellow LED assembly exposed). You can place them directly on top of the building block studs or in between.











Insert the battery into the battery compartment

The specifications of several battery boxes are different, please pay attention to the positive and negative poles of the batteries.

AA battery box Correct battery installation



Button battery box (flat) battery correct installation method




Button battery box (round) battery correct installation




Installation Instructions

Take out the AA battery box and correctly install 3 AA batteries (new batteries are recommended)




Plug and socket connection method


Align the "=" on the plug with the "=" side on the receptacle






The "=" on the plug
can clearly see one
side of the line








There are two silver
dots next to the "="
socket on the socket





equal sign equal sign




















Link three flexible light strips































Touch adjustment module, long press to
adjust the brightness when the light is on



BRIGHTNESS CAN BE ADJUSTED BY TOUCH