

Socket 8 seats x 1

Lamp green light 15CM x 1

Lamp particle pink light 15CM x 1

Light particle blue light 15CM x 1

Lamp red light 15CM x 1

Lamp orange light 15CM x 1

Lamp yellow light 15CM x 2


USB port x 1

Precautions (The content of the pictures appearing in this paragraph is for demonstration and not part of this set):

Wire above and below the building blocks


The wires can be arranged between the boards and the boards or underneath the boards, but they need to be placed correctly between the studs






Install the light particles on the building blocks

Please make sure they are placed correctly (yellow LED components exposed). You can place them directly on top of the block piece studs or in between.









Link the wire socket to the outlet

Use extreme caution when plugging the wire socket into the socket, the socket should only be inserted in one way. With the socket facing up, look for the soldered "=" symbol on the left side of the port. When you plug in the port, the side of the socket with the exposed wire should be towards the soldered "=" symbol. If the plug is not easily inserted

into the port, do not force it in.

Inserting the socket incorrectly may cause the pins within the port to bend or the socket to overheat when connected.





Connect the wire to the light bar

Be extra careful when plugging the wire into the strip connector, the plug can only be inserted in one way. Place the light bar with the illuminated side facing up, making sure the side of the plug exposed wire is facing down. If the plug is not easy to insert into the interface, do not force it in. so as not to damage the connector and plug.

The correct connection method of the light bar




Insert the battery into the battery compartment


Several battery compartments have different specifications, please pay attention to the

positive and negative poles of the battery.

AA battery box Correct battery installation



Button battery box (flat) battery correct installation method



Button battery box (round) battery correct installation



Installation Instructions:


Take out 1 x 8-seat socket, 1 x 15cm green light particle, and 1 x USB power cable




Connect them together, turn on the power, and the test particles light up normally

Plug and socket connection method


Align the "=" on the plug with the "=" side on the receptacle



The "=" on the plug
can clearly see one
side of the line




There are two silver
dots next to the "="
socket on the socket



equal sign equal sign



USB port for connecting devices




After the test, turn off the power, unplug the light particles, and leave the socket on the power supply




Take out the gloves, place them as shown in the figure, and remove the parts shown by the arrows in turn











Disassemble the removed thumb and take 1 15cm green light particle




Place the light emitting **side up** in the position shown



Restore the removed green parts and fix the lamp particles




Continue to restore the removed part




Restore the thumb as a whole




Pass the wire along the middle of the raised particle



Restore the removed parts, fix the wire, and pull the wire to the left




Continue to restore the removed part




Remove the parts shown in the arrows in turn






Pinch the sides with your hands and pull outward









Take 1 15cm pink lamp particle



Place the light-emitting side of the lamp with the light emitting **side facing upwards** and fit to the position shown




Restore the part, fix the particle, and remove the part shown by the arrow




Take 1 15cm blue light particle



Place the light-emitting side of the lamp with the light emitting **side facing upwards** and fit to the position shown




Restore the part, fix the particle, and remove the part shown by the arrow




Take 1 15cm red light particle




Place the light-emitting side of the lamp with the light emitting **side facing upwards** and fit to the position shown



Restore the part, fix the particle, and remove the part shown by the arrow




Take 1 15cm orange light particle



Place the light-emitting side of the lamp with the light emitting **side facing upwards** and fit to the position shown




Restore the part and fix the lamp particles




Take 2 x 15cm yellow light particles and prepare to install them on the part shown




Remove the parts shown in the arrows in turn









Remove the two 1X2 yellow parts on the back of the **illustrated part**







Place the light grain emitting **side up** on the raised particle




Restore the 1x2 yellow parts and fix the lamp particles




Place the other **light pellet with the light emitting side up** and place it on top of the raised particle




Restore the 1x2 yellow parts and fix the lamp particles




Pass 2 wires along the middle of the raised particles




Restore the removed parts, fix the wires, and pass the 2 wires along both sides of the raised particles




Restore the removed parts and fix the wires



Restore the removed parts in turn






Pass 4 wires along the middle of the raised particles, as shown



Restore the removed parts, fix the wires, and pull all the wires to the right



Revert the removed part



Screw the wires together appropriately and remove the parts shown by the arrows



Note that the white jaws are not disassembled




Take out the 8 seats connected to the USB cable and insert all the wires into the 8 seats



Turn on the power and the test light will light up normally



After the test, turn off the power and tear off the adhesive of the 8 seats




Paste the 8 blocks into the location shown in the diagram




Go to the side and remove the part shown by the arrow






Pass the wire along the angle of the part



Restore the removed parts and secure the USB cable



Go to the front and restore the removed part



At this point, the installation of this set of lighting has been completed, turn on the power and enjoy it

