
75415 Kylo Ren Helmet

Installation requires a lot of patience and great observation that your LEGO bricks will come alive when you get this finished. The bricks with lighting as below, so make sure you're ready and let's get started.



Package Contents:

- 4 Socket x 1
- led light strip red x 1
- Colored light strip red light (1 section) x 1
- 15cm cable x 1
- Battery box AA(USB port) x 1
- USB port 50CM x 1


Notes (the pictures in this paragraph are for demonstration purposes only and are not the parts of this set):

Wiring above and below the board

Wires can be run between boards or underneath boards, but they must be placed correctly between the studs.









Connect the electrical outlet to the socket


Be extremely careful when inserting the wire plug into the outlet. The plug only goes in one way. With the plug facing up, look for the soldered "=" symbol on the left side of the port. The side of the plug with the exposed wire should be facing the soldered "=" symbol as you insert it into the port. If the plug does not fit easily into the port, do not force it.


Inserting the socket incorrectly may cause the pins inside the port to bend or may cause the socket to overheat when connected.






When installing the light pellets on the building blocks, make sure they are properly positioned (with the yellow LED assembly exposed). You can place them directly on top of the building block studs or in between.










Insert the battery into the battery compartment

The specifications of several battery boxes are different, please pay attention to the positive and negative poles of the batteries.




Button battery box (round) battery correct installation




Installation Instructions

Take out the AA battery box and correctly install 3 AA batteries (new batteries are recommended)




Plug and socket connection method


Align the "=" on the plug with the "=" side on the receptacle



The "=" on the plug can clearly see one side of the line



There are two silver dots next to the "=" socket on the socket



equal sign equal sign

